

**GOVERNMENT OF ANDHRA PRADESH
ABSTRACT**

Public Service – Irrigation & CAD Department – Sri D.V. Subba Rao, Dy. Executive Engineer, Krishna Westrn Sub –Division, Bapatla, KW Division, Tenali, Guntur Dist. - Departmental Proceedings under Rule –20 of the A.P. Civil Services (CC&A) Rules, 1991 – Articles of Charges – Issued.

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT

G.O.Rt.No. 1230

Dated: 08.12.2011

* * *

ORDER

It is proposed to hold an enquiry against Sri D.V. Subba Rao, Dy. Executive Engineer, Krishna Westrn Sub –Division, Bapatla, KW Division, Tenali, Guntur Dist., in accordance with the procedure laid down in Rule 20 of the A.P.Civil Services (Classification, Control &Appeal)Rules,1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-1), statement of imputations of misconduct and misbehavior (Annexure-II), a list of documents by which and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure.III&IV).

3. Sri D.V. Subba Rao, Dy. Executive Engineer, is directed to submit a written statement of his defence, within 10 days from the receipt of this order and also to state whether he desires to be heard in person.

4. Sri D.V. Subba Rao, Dy. Executive Engineer, is informed that an inquiry will be held only in respect of those articles of charges which are not admitted herein specifically. He should, therefore, specifically admit or deny each article of charge. Adequate opportunity for perusal of records will be made available during the course of Inquiry. He may, therefore, deny or accept the charges framed against him.

5. Sri D.V. Subba Rao, Dy. Executive Engineer, is further informed that if he does not submit his Written Statement of Defence with in the stipulated period specified in para-3 above, or does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of Rule 20 of APCS (CCA) Rules, 1991 or the Orders / directions issued in pursuance of the said rules, further action will be processed basing on the material available and the disciplinary Authority may hold the enquiry against him ex-parte.

6. Attention of Sri D.V. Subba Rao, Dy. Executive Engineer, Krishna Westrn Sub –Division, Bapatla, KW Division, Tenali, Guntur Dist. is invited to Rule 24 of the APCS (Conduct) Rules 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior Authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri D.V. Subba Rao, Dy. Executive Engineer, is aware of such a representation and that it has been

::2::

made at his instance and action will be taken against him for violation of Rule 24 of the APCS (Conduct) Rules, 1964.

7. The receipt of the order should be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR ANDHRA PRADESH)

**SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT**

To
Sri D.V. Subba Rao, Dy. Executive Engineer, Krishna Westrn Sub –Division,
Bapatla, KW Division, Tenali, Guntur Dist. - through Engineer-in-Chief(AW),
I&CAD Department, Hyderabad.
The Engineer-in-Chief (AW), I&CAD Department, Hyderabad.

//FORWARDED : BY ORDER//

SECTION OFFICER